

SEISMIC ISOLATION OF BRIDGES IN COLD CLIMATES USING LEAD RUBBER BEARINGS

Carlos Mendez-Galindo, Borja Baillés and Gianni Moor

Biography: **Carlos Mendez-Galindo**, born in 1981, received his PhD in earthquake and structural engineering from Hokkaido University in Japan. He is currently Manager for Seismic Devices at Mageba International, and General Manager at Mageba Mexico. He has twice been presented with the Best Young Researcher Award by the Japanese Society of Steel Construction, in 2006 and 2007, and is a member of IABSE, where he serves on the working group “Earthquake Resistant Structures” and other scientific committees.

Borja Bailles, born in 1984, received his civil engineering degree from the Technical University of Catalonia (UPC). He joined Mageba in 2010, and since transferring to the company’s New York offices in 2015 has been Area Manager for the Canadian and Latin American markets.

Gianni Moor, born in 1968, received his civil engineering degree from the Swiss Institute of Technology in Zurich, Switzerland (ETHZ), and was later awarded an MBA degree by the Business School IESE (Barcelona, Spain). Today, he is Deputy General Manager and COO of Mageba Group, and CEO of Mageba USA.

ABSTRACT

This paper describes the development of a seismic isolation system using LRBs for highway bridges where low temperatures must be considered in the design. Specifically, the LRBs must be able to withstand temperatures as low as -30 C for up to 72 hours, while displaying only minor variations in their effective stiffness. This extreme condition required the development

of a new rubber mixture, and the adjustment of the general design of the isolators. Because the relevant specifications, such as *AASHTO Guide Specifications for Seismic Isolation Design* and *EN 15129: Anti-Seismic Devices*, contain only limited test data relating to low-temperature performance, extensive full-scale low-temperature dynamic testing was performed. This unprecedented and demanding testing, which sheds new insight on the performance of LRBs at low temperatures, is described.

Keywords: lead rubber bearings (LRB), low temperature, highway bridges, seismic isolation, full-scale testing

INTRODUCTION

Increasing awareness of the threats posed by seismic events to critical transport infrastructure has led to the need to seismically retrofit highway viaducts and other bridges to improve their ability to withstand a strong earthquake. Continually evolving technology and the improving evaluation and design abilities of practitioners have also contributed to the need for such solutions - as have, of course, increasingly stringent national design standards.

SEISMIC ISOLATION OF HIGHWAY BRIDGES

Bearings have historically been among the most seismically vulnerable components of bridges. Steel bearings in particular have performed poorly and have been damaged by relatively minor seismic shaking¹. Therefore, a strategy of seismically isolating a bridge's superstructure, by replacing such vulnerable bearings with specially designed protection devices, has much to offer.

Seismic isolation systems provide an attractive alternative to conventional earthquake resistance design, and have the potential for significantly reducing seismic risk without compromising safety, reliability, and economy of bridge structures. Furthermore, with the

adoption of new performance-based design criteria, seismic isolation technologies are likely to be increasingly used by structural engineers because they offer economical alternatives to traditional earthquake protection measures².

Seismic isolators provide the structure with enough flexibility so that the natural period of the structure is shifted out of the range of predominant earthquake energy frequencies, as shown in **Fig. 1**. This prevents the occurrence of resonance, which could lead to severe damage or even collapse of the structure.

An effective seismic isolation system should provide effective performance under all service loads, vertical and horizontal. Additionally, it should provide enough horizontal flexibility to shift the natural period of the isolated structure sufficiently outside of the range of predominant earthquake energy frequencies to satisfactorily reduce its response. Another important capability of an effective isolation system is re-centering, even after a severe earthquake, so that residual displacements that could disrupt the serviceability of the structure are minimized. Finally, it should also provide an adequate level of energy dissipation, mainly through high ratios of damping (Fig. 1), in order to control the displacements that otherwise could damage other structural elements.

Application in Bridges

Bridges are ideal candidates for the adoption of base isolation technology due to the relative ease of installation, inspection and maintenance of isolation devices. Although seismic isolation is an effective technology for improving the seismic performance of a bridge, there are certain limitations on its use. As shown in Fig. 1, seismic isolation improves the performance of a bridge under earthquake loading partially by increasing the fundamental vibration period. Thus, the vibration period of a bridge is moved away from the high-energy seismic ground period and seismic energy transfer to the structure is minimized. Therefore, the

use of seismic isolation on soft or weak soil, where high period ground motion is dominant, reduces the benefits offered by the technology³.

The seismic isolation system has a relatively high vibration period compared to a conventional structure. Based upon principles of structural dynamics, increasing the difference between the natural frequency of the isolated superstructure and the predominant earthquake input frequencies reduces the seismic energy transferred into the superstructure. Therefore, seismic isolation is most effective in relatively rigid structural systems and will provide limited benefits for highly flexible bridges. Another consideration is related to the large deformations that may occur in seismic base-isolation bearings during a major seismic event, which causes large displacements in a bridge deck. This may result in an increased probability of collision between deck and abutments. Damping is crucial to minimize the seismic energy flow to the superstructure and to limit the horizontal displacements of the bearings².

LEAD RUBBER BEARINGS

Among the great variety of seismic isolation systems, Lead Rubber Bearings (LRB) have found wide application in bridge structures⁴. This is due to their simplicity and the combined isolation and energy dissipation functions in a single compact unit. Using hydraulic jacks, the superstructure of a bridge that requires seismic retrofitting can typically be lifted to remove the original bearings, easily replacing them with suitable LRBs.

LRBs consist of alternate layers of natural rubber (NR) and steel reinforcement plates of limited thickness, and a central lead core (**Fig. 2**). They are fabricated with the rubber vulcanized directly to the steel plates, including the top and bottom connection plates, and can be supplied with separate anchor plates, facilitating future replacement.

LRBs limit the energy transferred from the ground to the structure in order to protect it. The rubber/steel laminated isolator is designed to carry the weight of the structure and make the

post-yield elasticity available. The rubber provides the isolation and the re-centering. The lead core deforms plastically under shear deformations at a predetermined flow stress, while dissipating energy through heat with hysteretic damping of up to 30%.

In practice, bridges that have been seismically isolated using LRBs have been proven to perform effectively, reducing the bridge seismic response during earthquake shaking. For instance, the Thjorsa River Bridge in Iceland survived two major earthquakes, of moment magnitudes (Mw) 6.6 and 6.5, without serious damage and was open for traffic immediately after the earthquakes as reported by Bessason and Haflidason⁵.

LRB bearings of seismically isolated bridges, due to their inherent flexibility, can be subjected to large shear deformations in the event of large earthquake ground motions. According to experimental test results, LRBs experience significant hardening behavior beyond certain high shear strain levels due to geometric effects³.

LRB analytical model

LRB bearings have been represented using a number of analytical models, from the relatively simple equivalent linear model composed of the effective stiffness and equivalent damping ratio as formulated by Huang⁶ to the sophisticated finite element formulation developed by Salomon⁷. However, the most extensively adopted model for dynamic analysis of seismically isolated structures is the bilinear idealization for the force-displacement hysteretic loop⁸. Due to its simplicity and accuracy in identifying the force-displacement relationship of the isolation devices, LRBs can be represented by the bilinear force-displacement hysteresis loop given in

Fig. 3.

The principal parameters that characterize the model are the pre-yield stiffness K_l , corresponding to the combined stiffness of the rubber bearing and the lead plug, the stiffness of the rubber K_d and the yield force of the lead plug Q_d . The value of Q_d is influenced primarily

by the characteristics of the lead plug, but it is important to take into account that in cold temperatures, the value of Q_d generally increases. Furthermore, the use of natural rubber significantly increases stiffness, K_d , and thus also the corresponding force values.

Full scale testing of LRBs

Prototype testing is frequently required by contracts for the supply of LRB seismic isolators, due to the fact that applications tend to be unique in various ways, considering both the structure and the seismic characteristics of the region where it is located. An example of such testing is included in the case study below.

CASE STUDY: HIGHWAY BRIDGE AT INTERCHANGE A40/A73 IN QUEBEC

The seismic isolation of bridges in cold climates is illustrated by the recent retrofitting of seismic isolation bearings to an existing highway bridge, at the A40/A73 interchange, in Quebec, Canada (**Fig. 4**). Guided LRBs were selected to support the entire bridge superstructure in normal service and to protect the structure during an earthquake by isolating it from the destructive movements of the ground beneath. The LRBs thus ensure the constant serviceability of the structure, even after the occurrence of a strong earthquake, facilitating the passage of emergency vehicles and contributing to the safety of the population.

The bridge has a two-span superstructure with concrete girders, with spans of 36m and 42m.

Design of the LRB

The LRBs (see **Fig. 5**) are of the guided type, with steel fittings preventing all transverse movements. Each LRB has a vertical load capacity of approximately 3,250 kN – primarily to serve its primary purpose of supporting the deck under normal service conditions. Due to the structure's location, the LRBs were designed for temperatures as high as 40°C (104°F) and as

low as -30°C (-22°F). In addition to these severe temperature conditions, the LRBs also had to be designed to fulfill the following requirements:

1. Facilitate movements of up to 111 mm in the longitudinal direction
2. Prevent movements in the transverse direction
3. Provide damping of up to 30%
4. Dissipate hysteretic energy up to 58 kNm per cycle
5. Ensure re-centering following an earthquake
6. Increase the period of the deck of the bridge to more than 1.7 seconds
7. Transmit horizontal loads of up to 414 kN at an ambient temperature of 20°C (68°F)
8. Transmit horizontal loads of up to 530 kN at a low temperature of -30°C (-22°F)

These demands presented a significant challenge for design and manufacture – especially in relation to low temperature performance. The bearings were designed to provide optimal performance at 20°C and to minimize variations in dynamic characteristics at very low temperatures. Considering the sensitivity of rubber to low temperatures, this was very difficult to achieve. However, after a detailed analysis of the effects of temperature on the rubber and the lead, and evaluation of the overall performance of the devices during extensive full-scale testing (as described below), it was possible to develop an optimal solution according to *Canadian Highway Bridge Design Code CAN/CSA-S6*. This solution included design of a new rubber mixture – based on an extensive development program which included testing of a number of rubber samples – and resulted in an adapted LRB design considering all conditions.

Prototype testing of LRBs

Prototype testing was carried out in accordance with the isolator supply contract, to verify the performance of the LRBs in accordance with their design and the project specifications. The testing included evaluation of the dynamic performance of each device in terms of effective stiffness, damping, energy dissipated per cycle and other parameters such as displacements and forces, as listed above. The testing protocol for room temperature testing is shown in **Table 1**. Similar testing was required at the specified very low temperature. The test equipment and its configuration, which allows simultaneous testing of two isolators, is shown in **Fig. 6**. The steel frame holding the isolators was designed to counter the thrust forces that arise during testing of seismic isolation devices.

The maximum horizontal load depended on the characteristics of the servo actuators installed, and a nominal value of 1,400 kN was considered. The maximum vertical load of 10,000 kN was provided by two actuators, each 5,000 kN. The project required consideration of both the *AASHTO Guide Specifications for Seismic Isolation Design (AASHTO GSSID)* and the *Canadian Highway Bridge Design Code (CAN/CSA-S6-06)*. While AASHTO GSSID requirements are well known and applied, the application of CAN/CSA-S6-06 requirements presented an additional challenge. This code specifies in Section 4.10.11 the main requirements for the testing of seismic isolation devices.

The specimens each had plan dimensions of 550 x 550 mm and a total height of 236 mm, and were designed for a total design displacement of 111 mm and a test maximum vertical load of 3,250 kN. The samples were subjected to 23 different tests, most of them including dynamic conditions, and with frequency and amplitude varying from one test to the next. For all dynamic testing, a vertical load of 1,875 kN was applied to each of the samples.

The testing protocol presented in **Table 2** fulfills all specified requirements, incorporating necessary adjustments as required by the project engineer. The following special considerations were taken into account for the prototype testing:

- a. Room Temperature Tests (with isolators conditioned at a temperature of 20 ± 5 °C for 48 hours prior to testing):
 - Three fully reversed sinusoidal cycles at amplitude of 111 mm and peak velocity of 465 mm/s (frequency 0.67 Hz).
 - Three fully reversed sinusoidal cycles at amplitudes of 28, 55, 83, 111 and 138 mm (frequency 0.67 Hz).
- b. Low Temperature Tests (with isolators conditioned at a temperature of -30 °C for 72 hours prior to testing):
 - Three fully reversed sinusoidal cycles at amplitudes of 28, 55 and 83 mm at a frequency of 1 Hz.
- c. Low Temperature Tests (with isolators conditioned at a temperature of -8 °C for 72 hours prior to testing):
 - Three fully reversed sinusoidal cycles at amplitudes of 111, 28, 55, 83, 111 and 138 mm at a frequency of 0.83 Hz.

Results of low temperature testing

The extensive testing carried out on the two specimens provided a large amount of data. Here, only the key performance at room temperature, and a comparison with the performance at low temperature, are presented. **Fig. 7** shows the main hysteretic responses at room temperature for Prototype P1 and Prototype P2, and **Fig. 8** shows the responses at low temperature in both prototypes.

The results in **Table 2** demonstrate that the key dynamic parameters such as effective stiffness, horizontal force, post-elastic stiffness and characteristic strength increase by a factor of about two at very low temperatures. However, considering the severe variation of temperature and the strong dependence of rubber's behavior on temperature, these results verified well the effectiveness of these specially developed LRBs at low temperatures, as well as compliance with the project specifications.

CONCLUSIONS

Lead rubber bearings, which are widely used to seismically isolate highway bridge structures, display a significant vulnerability to low temperatures (e.g. -30 °C) unless designed and fabricated for such conditions. In particular, their design should ensure that they display only minor variations in their effective stiffness at such temperatures. As in the case study presented, this may require the development of a new rubber mixture, the modification of the general design of the isolators, and verification of low-temperature performance by means of extensive full-scale prototype testing.

REFERENCES

1. Ruiz Julian, D., "Seismic performance of isolated curved highway viaducts equipped with unseating prevention cable restrainers", *Doctoral Dissertation*, Graduate School of Engineering, Hokkaido University, Japan, 2005.
2. Mendez-Galindo, C., Hayashikawa T. and Ruiz Julian F. D., "Seismic damage due to curvature effect on curved highway viaducts", *Proc. 14th World Conference on Earthquake Engineering*, IAEE, Beijing, China, 2008.
3. Turkington, D. H., Carr, A. J., Cooke, N. and Moss, P.J., "Seismic design of bridges on lead-rubber bearings", *Journal of Structural Engineering*, ASCE, Vol. 115, No. 12, 1989, pp. 3000-3016.
4. Moehle, J. P. and Eberhard, M. O., "Chapter 34: Earthquake damage to bridges", *Bridge Engineering Handbook*, Boca Raton, CRC Press, 1999.
5. Bessason, B. and Haflidason, E., "Recorded and numerical strong motion response of a base-isolated bridge", *Earthquake Spectra*, Vol. 20, No. 2, 2004, pp. 309-332.
6. Huang, J. S. and Chiou, J. M., "An equivalent linear model of lead-rubber seismic isolation bearings", *Engineering Structures*, Vol. 18, No. 7, 1996, pp. 528-536.
7. Salomon, O., Oller, S. and Barbat, A., "Finite element analysis of base isolated buildings subjected to earthquake loads", *International Journal for Numerical Methods in Engineering*, Vol. 46, 1999, pp. 1741-1761.
8. Mendez-Galindo, C., Hayashikawa T. and Ruiz Julian F. D., "Seismic performance of isolated curved steel viaducts under level II earthquakes", *Journal of Structural Engineering*, JSCE. Vol. 55A, 2009, pp. 699-708.

TABLES AND FIGURES

List of Tables:

Table 1 – Testing protocol required for room temperature performance

Table 2 – Average results of the last three cycles of the prototype testing, at room and low temperatures

List of Figures:

Fig. 1 – Reduction of acceleration by seismic isolation (left) and then additionally by damping (right).

Fig. 2 – Cut-out view of a typical Lead Rubber Bearing.

Fig. 3 – Analytical model of an LRB elastomeric isolator.

Fig. 4 – View of highway bridge at A40/A73 Interchange in Quebec, Canada.

Fig. 5 – Guided lead rubber bearings installed in the bridge.

Fig. 6 – Testing equipment and its configuration.

Fig. 7 – Test results at Room Temperature of 20°C (68°F) after 72 hours of exposure.

Fig. 8 – Test results at Low Temperature of -30°C (-22°F) after 72 hours of exposure.

Table 1 – Testing protocol required for room temperature performance

Test No.	Test Name	Specification	Main DOF	Amplitude	Cycle Duration	Compression Load	Cycles
			[-]	[mm]	[sec]	[kN]	[-]
1	Thermal / Service	AASHTO 13.2.2.1 CSA 4.10.11.2 (c)(i)	L	± 60	10	1,875	20
2	Wind and Braking: Pre-seismic 1/2		L	7	10		20
		AASHTO 13.2.2.2				1,875	
	Wind and Braking: Pre-seismic 2/2		V	0	60		0
3	Seismic	AASHTO 13.2.2.3 CSA 4.10.11.2 (c)(ii)	L	± 111	1.5		3
			L	± 28	1.5		3
			L	± 55	1.5		3
			L	± 83	1.5	1,875	3
			L	± 111	1.5		3
			L	± 138	1.5		3
4	Seismic verification	CSA 4.10.11.2 (c)(iii)	L	± 111	1.5	1,875	18
5	Wind and Braking: Post-Seismic 1/2		L	7	10		3
		AASHTO 13.2.2.4				1,875	
	Wind and Braking: Post-Seismic 2/2		V	0	60		0
6	Stability 1/3		L	138	60	1,500	loading ramp
	Stability 2/3	CSA 4.10.11.2 (d)	L	138	60	2,344	loading ramp
	Stability 3/3		V	0	60	3,250	0

Table 2 – Average results of last three cycles of testing, at room and low temperatures

Parameter	Unit	Room Temperature 20°C (68°F)		Low Temperature -30°C (-22°F)	
		Prototype 1	Prototype 2	Prototype 1	Prototype 2
Displacement	mm	111	111	55	55
Horizontal force	kN	392	302	508	533
Post-elastic stiffness	kN/mm	1.7	1.8	3.1	3.3
Effective stiffness	kN/mm	3.5	3.7	9.1	9.6
Characteristic strength	kN	186	188	318	334
Energy dissipated per cycle	kN-m	87	81	73.7	74.2
Damping	%	30	29	30	30




Fig. 1–Reduction of acceleration by seismic isolation only (left) and then additionally by damping (right).




Fig. 2–Cut-out view of a typical Lead Rubber Bearing.




Fig. 3–Analytical model of an LRB elastomeric isolator.



Fig. 4–View of highway bridge at A40/A73 Interchange in Quebec, Canada.



Fig. 5–Guided lead rubber bearings installed in the bridge.




Fig. 6–Testing equipment and its configuration.




Fig. 7—Test results at Room Temperature of 20°C (68°F) after 72 hours of exposure.




Fig. 8—Test results at Low Temperature of -30°C (-22°F) after 72 hours of exposure.